# TRRIMSTONE®.com

Architectural Cast-Stone/ Precast Mouldings, Sills & Keystones For Door, Window and Garage Surrounds

## **TUSCANY COLLECTION**

A superior alternative to EPS Styrofoam.



Trrimstone product line.
Truly an Architectural
Elegance of Decorative Stone.
Trrimstone®

Durability, beauty, elegance and price makes this the "Product Of Choice" for window and door surrounds

- Stock Item (No More Job Delays)
- Affordable For Every Home
- > As Low as Finished Styrofoam
- ➤ 50% Less Than Market Price
- ➤ Market Price \$10 LF, Our Price \$4.75 L.F.

- > High Quality
- > Maintenance Free
- Radius Available
- **Easy Installation**
- Lowest Price Guaranteed

Project Photos 2







Project Photos













More photos are available on our website: www.trrimstone.com







Item	Description	Weight LBS	MSRP/ Price Per Piece
MG3S	3-1/2" Moulding, 32" Long	12	\$10.75
MG3L	3-1/2" Moulding, 36" Long	11	\$12.75
MG3C	Corner (6" X 6" inside)	5.5	\$7.25
SL4S-RE	4-1/2" Sill, With Right End, 24" Long	15	\$11.75
SL4S-LE	4-1/2" Sill, With Left End, 24" Long	15	\$11.75
SL4S-NE	4-1/2" Sill, With No Ends, 24" Long	15	\$11.75
SL4L-RE	4-1/2" Sill, With Right End, 32" Long	17	\$14.50
SL4L-LE	4-1/2" Sill, With Left End, 32" Long	17	\$14.50
SL4L-NO	4-1/2" Sill, With No Ends, 32" Long	17	\$14.50
KS3 **Prices are s	Keystone for MG3 Moulding subject to change without notice	5	\$13.75
	MG3S  MG3L  MG3C  SL4S-RE  SL4S-LE  SL4S-NE  SL4L-RE  SL4L-RE  SL4L-RE  SL4L-NO	MG3S 3-1/2" Moulding, 32" Long  MG3L 3-1/2" Moulding, 36" Long  MG3C Corner (6" X 6" inside)  SL4S-RE 4-1/2" Sill, With Right End, 24" Long  SL4S-LE 4-1/2" Sill, With Left End, 24" Long  SL4S-NE 4-1/2" Sill, With No Ends, 24" Long  SL4L-RE 4-1/2" Sill, With Right End, 32" Long  SL4L-LE 4-1/2" Sill, With Left End, 32" Long  SL4L-NO 4-1/2" Sill, With No Ends, 32" Long	MG3S 3-1/2" Moulding, 32" Long 12  MG3L 3-1/2" Moulding, 36" Long 11  MG3C Corner (6" X 6" inside) 5.5  SL4S-RE 4-1/2" Sill, With Right End, 24" Long 15  SL4S-LE 4-1/2" Sill, With Left End, 24" Long 15  SL4S-NE 4-1/2" Sill, With No Ends, 24" Long 15  SL4S-NE 4-1/2" Sill, With No Ends, 24" Long 15  SL4L-RE 4-1/2" Sill, With Right End, 32" Long 17  SL4L-LE 4-1/2" Sill, With Left End, 32" Long 17  SL4L-NO 4-1/2" Sill, With No Ends, 32" Long 17  KS3 Keystone for MG3 Moulding 5







	Item	Description	Weight LBS	MSRP/ Price Per Piece
<u>Mouldings</u>				
	MG5S	5" Moulding, 32" Long	26.5	\$ 16.85
	MG5L	5" Moulding, 36" Long	30	\$ 20.25
	MG5C	Corner (6" X 6" inside)	13.5	\$ 13.50
Sills (Short)	SL6S-RE	6-1/2" Sill, With Right End, 24" Long	28	\$ 16.35
	SL6S-LE	6-1/2" Sill, With Left End, 24" Long	28	\$ 16.35
	SL6S-NE	6-1/2" Sill, With No Ends, 24" Long	28	\$ 16.35
Sills (Long)	SL6L-RE	6-1/2" Sill, With Right End, 32" Long	37	\$ 19.50
	SL6L-LE	6-1/2" Sill, With Left End, 32" Long	37	\$ 19.50
	SL6L-NO	6-1/2" Sill, With No Ends, 32" Long	37	\$ 19.50
Keystone	KS5	Keystone for MG5 Moulding	15	\$ 18.75
$\Pi = \Pi - \Pi \Pi$	**Prices are	e subject to change without notice		










**QF1**-Quatrefoil 34" x 34" -- (In Four Pieces)--1 SET MSRP: \$75.00





MG10-Cornice (Mid-Band Moulding/Trim)-10" x 32" Long Comes in 32" Long Pieces MSRP Per Piece: \$30.00





MG4-Moulding (Precast Conc. Coping for Veneer Stone/Brick) Comes in 32" Long Pieces MSRP Per Piece: \$15.00

#### **SETTING THE PIECES**

In most cases our products are set on brown coat of stucco using premium quality white thin-set cement mortar and are reinforced with mechanical attachment such as galvanized/ stainless steel screws. Each piece has an embedded metal bracket that have hole for the screws.

If your stucco is already finished with final (color) coat, The surface of the stucco must be scraped off where the molding is going to be installed. The mortar must bond to the surface well. In this case, the embedded brackets cannot be used. Therefore, instead of the brackets, screws must be put through the pieces. (First, drill a hole, then put the screws)

#### FIELD CUTTING

Almost in all cases field cutting is required during installation. Joint placements should be considered prior to cutting. Our products may be cut using masonry blades preferably diamond blade. (Dry/Wet Cut) In most cases, four or seven inch diamond blades will do the job.

#### **CLEAN UP**

Care should be taken during installation. Mortar spills should be cleaned immediately using water. You may also clean the precast using soap & water. Other masonry cleaners are available at specialty stores.

#### **MATERIAL LIST**


- -Premium quality white thin-set mortar
- -Screws (Galvanized / Stainless Steel)
- -Grout for joints

#### **EQUIPMENT/TOOLS LIST**


- -Drill
- -Cutting Saw (4"/7" masonry blade)
- -Level
- -Mortar Mixer
- -Measuring Tape
- -Grout Bag
- -Pencil

ABOVE INSTALLATION GUIDES ARE NOT WARRANTIES. IT IS THE CONTRACTORS OR INSTALLERS RESPONSIBILITY TO ASSURE ALL ITEMS ARE INSTALLED PROPERLY.

We make the moulding same radius as your door/window. We need the actual radius or diameter to be able to make the radius. The Worksheet below will help determining the radius.



#### AVAILABLE IN FOUR NATURAL EARTH TONE COLORS



### Manufactured By:

SANDSTONE DESIGNS, INC 38955 10<sup>th</sup> St. East, Palmdale, CA 93550 www.sandstonedesigns.com (877) 763-7866 Toll Free (661) 947-1003 Fax © 2006 Sandstone Designs, Inc. All Rights Reserved